

Ph: +91-9685958236 / +91731-4084901 | Email:info@benisonfarmvet.in | Web: www.benisonfarmvet.in

Registered Office: 3, Paliwal Nagar, Indore, M.P, India © 2008-2022, BENISON FARM VET PVT LTD or its affiliates.

बी-कॉफ









ORAL COUGH SOLUTION

Composition:

Each 100 ml. Contains

Chorpheniramine Maleate
Bromhexine HCl
Ammonium Chloride
Sodium Citrate
Menthol
Paracetamol
Excipient

40 mg.
750 mg.
800 mg.
5mg.
500mg.

Indications:

- Helps to recover respiratory disorders.
- Relaxes & dilates the Bronchial passage.
- Decreases pulmonary congestion and Swelling.

Dosage:

10 ml / 100 birds.

Every 8-10 hrs. In drinking water

POULTRY FEED SUPPLEMENT



Manufactured & Marketed by: **Benison Farm Vet Pvt. Ltd.** Regd. Office: 3, Paliwal Nagar,

Indore - 452 018 (MP)

Email: info@benisonfarmvet.in
Website: www.benisonfarmvet.in

BENIFLOX-BH





बेनीफ्लॉक्स-बी एच

COMPOSITION:-

COMPOSITION:

Each ml.contains

Enrofloxacin 200 mg. Bromhexine HCl 15 mg.

Enrofloxacin 20 % with Bromhexine

INDICATIONS:-

INDICATIONS: For the control and treatment of severe bacterial respiratory infections of poultry including Mycoplasmosis, Infectious Coryza, Salmonellosis, Fowl Cholera, Colibacillosis, etc.

ADMINISTRATION & DOSAGE:-

- 1 ml. of the solution to be administered for a total body wt. of 20.5 kgs.
- To be administered continuously for a period of 3-5 days once daily in drinking water depending upon these variety of infections or as recommended by the veterinarian.




Manufactured & Marketed by: **BENISON FARM VET PVT. LTD.**

Regd. Office: 3, Paliwal Nagar, Indore - 452 018 (MP)

Email: info@benisonfarmvet.in **Website:** www.benisonfarmvet.in

Enrofloxacin & Bromhexine HCl Oral Solution



POULTRY FEED SUPPLEMENT
NOT FOR MEDICINAL USE
PROTECT FROM DIRECT SUNLIGHT.

BENIFLOX-P

ENROFLOXACIN WITH PEFLOXACIN ORAL SOLUTION

COMPOSITION:

Each ml. Contains:
Enrofloxacin...100 mg.
Pefloxacin50mg.
Vitamin B6......5 mg.

DOSAGE: PREVENTIVE

1 ml. in 4 litre of drinking water

CURATIVE:

1 ml. In 2 litre of drinking water or as directed by the veterinarian.





POULTRY FEED SUPPLEMENT
NOT FOR MEDICINAL USE
PROTECT FROM DIRECT SUNLIGHT.


INDICATION:

- Broad SpectrumBactericidal Infections
- Respiratory
 Tract Infections



Manufactured & Marketed by: **BENISON FARM VET PVT. LTD.**Regd. Office: 3, Paliwal Nagar,
Indore - 452 018 (MP)

Email: info@benisonfarmvet.in
Website: www.benisonfarmvet.in



Composition:

Each gram has nutritional value of

Viamin B₂ 12.50 mg. Viamin B₆ 6.20 mg. Viamin B₁₂ 63.00 mcg. Niacin 375 mg. Calcium D-Panthothenate 29.00 mg. **DL-Methionine** 50.00 mg.

Carbohydrate, Organic

NutrItive base Q.S.

Appropriate overages added to compensate losses on storage

Usage:

POULTRY: Daily as recommended by Nutritionist.

Mixing Directions:

Ensure complete solubility of 100g B-PLEX Powder in 4.9 litres of drinking water to get reddish -orange coloured solution and desired results.

> POULTRY FEED SUPPLEMENT **NOT FOR MEDICINAL USE** PROTECT FROM DIRECT SUNLIGHT.



Manufactured & Marketed by: BENISON FARM VET PVT. LTD.

Regd. Office: 3, Paliwal Nagar, Indore - 452 018 (MP)

Email: info@benisonfarmvet.in, **Website:** www.benisonfarmvet.in

BENISON AD3 EC



With Amino Acids





COMPOSITION:

For 5 ml. contains: Vitamin A 2,50,000 I.U. Vitamin D₃ 25,000 I.U. Vitamin E 250 mg. Vitamin C 500 mg. L-Lysine 5 mg. Methionine 5 mg.

DOSAGE:

INDICATION:

- Stimulates growth & production.
- Maintain normal Fertility in Male & Female
- Build up resistance to infections.
- Provides strength & stamina during stress condition.

To be given through drinking water

POULTRY FEED SUPPLEMENT NOT FOR MEDICINAL USE PROTECT FROM DIRECT SUNLIGHT.



AN IDEAL FEED SUPPLEMENT FOR POULTRY



Manufactured & Marketed by:

Benison Farm Vet Pvt. Ltd

Regd. Office: 3, Paliwal Nagar,Indore - 452 018 (MP)

Email: info@benisonfarmvet.in, Website: www.benisonfarmvet.in

VIRNEXTB

(Including avian influenza virus) Virucidal Disinfactant

VIRNEXT - B

Is a broad spectrum viricide in powder form with wide range of applications in livestock farms/poultry houses, hatcheries, food processing and pharmaceuticals units. Activity of VIRNEXT-B against all groups of microorganisms like bacteria, fungi & viruses make VIRNEXT-B a sanitizer of choice

VIRNEXT - B

Is a blend of inorganic peroxy compounds, salts, buffers, descalants, anionic detergents & stabilizer. When dissolved in water **VIRNEXT-B** generates ozone and hypochlorous acid which are powerful oxidizing agents. **VIRNEXT-B** remains active even in the presence of organic matter. At recommended dilutions **VIRNEXT-B** spray can be used safely to reduce lateral spread of infection.

VIRNEXT - B

For safe, effective and control of all major types of viruses, bacteria, fungi yeast & moulds in poultry, cattle, Horses, Camel, Dogs and Cats, Sheep and goats, small and large zoo animals.

GENERAL PROPERTIES OF VIRNEXT-B

- Excellent Virucidal / Bactericidal / fungicidal with low toxicity for users.
- Excellent and safe water sanitiser.
- For all types of animals/ Broilers/ Layers/ Breeders/ Processing plants etc.
- Soluble in tap water.

MODE OF ACTION:

Aqueous solution of **VIRNEXT-B** liberates ozone (O3) and hypochlorus (HCIO) radicals. These radicals at lower pH exhibit very strong oxidizing action against structural and functional proteins as well as nucleic acids of microorganisms. This ensures total destruction of microbial pathogens at the site of application.

CAUTION:

Avoid contact with skin, eyes, respiratory system. Incase of accidental contact wash with plenty of water.



Manufactured & Marketed by:

BENISON FARM VET PVT. LTD.

Regd. Office: 3, Paliwal Nagar,Indore - 452 018 (MP)

Email: info@benisonfarmvet.in, Website: www.benisonfarmvet.in

USAGE:

Sodium Chloride	1.5 % w/w
Salt containing Potassium Monopersulphate/ Potassium Hydrogen Sulphate / Poassium Sulphate	49.8% w/w
Buffers & Excipients	q.s. to 100%

APPLICATION:

Spray:

- Use 0.5 % solution (5 g/ per litre of water) of VIRNEXT-B Spray in air twice daily, increas dose & frequency during disease outbreak
- 10 g/ litre as terminal decontamination.
- Drinking Water: Add 1-2 gm/ 10 litre to the drinking water. Increase the dose in case of breakout.

INDICATIONS IN BIRDS:

- Avian Influenza
- NZ/IBD/EDS/IBH/IB/ILT
- Chicken Anemia
- Merek's Disease
- Bacterial and fungal Diseases

PRESENTATION:

500 & 200 gram pack

Make fresh solution and use it within 10 hours.

Do not mix with other disinfectants.

BENISON - BIOSECURE

BROAD SPECTRUM DISINFECTANT

BACTERICIDAL, FUNGICIDAL, VIRUCIDAL

(including Avian Influenza Virus)

DESCRIPTION:

Heavy duty Triple action disinfectant for livestock premises Benison-Biosecure is an aldehyde containing disinfectant-cleaner-deodoriser suitable both for daily prophylactic disinfection and terminal disinfection with wide antimicrobial activity against bacteria, their spores, viruses and fungi.

COMPOSITION:

Benzalkonium Chloride..... 7 ml/ 100 ml Glutaraldehyde7 ml/ 100 ml Formaldehyde......7 ml/ 100 ml

POULTRY FEED SUPPLEMENT NOT FOR MEDICINAL USE PROTECT FROM DIRECT SUNLIGHT.

Benison Biosecure is a synergistic blend of Glutaraldehyde, Quaternary Ammonium Compound (QAC) & Formaldehyde. Presence of Formaldehyde enhances the spectrum of activity in terminal disinfection.

PRESENTATION:

1 litre, & 5 litre

PRECAUTIONS:







Manufactured & Marketed by: Benison Farm Vet Pvt. Ltd

Regd. Office: 3, Paliwal Nagar, Indore - 452 018 (MP)

Email: info@benisonfarmvet.in, Website: www.benisonfarmvet.in

Application Area	Method	Dilution / Lit. of Water	
FARM (LIVESTOCK	FARM (LIVESTOCK/ Poultry)		
Vehicles	Spray including wheels	10 ml	
Foot bath	Daily change	10ml	
Empty sheds	Spray with high pressure	10ml	
Livestock in shed	Spray in air towards ceiling	4 ml	
Feeders & Drinkers	Mop daily after cleaning	20ml	
Feed room/stores	Spray	20 ml	
White wash		1-2 % Mix with the slurry of lime & apply to the poultry house.	

HATCHERY		
Foot bath	Daily change	20 ml
All rooms of Hatchery	Spray & Mop	10 ml
Incubator/Hatcher	Spray & Mop	10 ml
Incubator tank	Add into the tank each time	10 ml
Hatching eggs	Spray using atomizer	10 ml
Solied hatching eggs	Spray using atomizer	10 ml
Gunny cloth new	Dip, dry & use	10 ml
Setter trays	Dip after washing	10 ml
Hatchery trays	Dip after washing	20 ml
Wood wool	Spray after sun drying	20ml
Waste drum	Spray after every use	20 ml

In case of high organic burden or imminent disease threat consult your veterinarian for usage modifications.

PROTECTION B-30

LONG ACTING BROAD SPECTRUM DISINFECTANT CUM DETERGENT

Bactericidal, Fungicidal, Virucidal (Including avian influenza virus)

DESCRIPTION:

Heavy duty Triple action disinfectant for livestock premises **PROTECTION B-30** is an aldehyde containing disinfectant-cleaner-deodoriser suitable both for daily prophylactic disinfection and terminal disinfection with wide antimicrobial activity against bacteria, their spores, viruses and fungi.

COMPOSITION:

Cocobenzyl dimethyl ammonium chloride..... 15 ml/ 100 ml Glutaraldehyde15 ml/ 100 ml

Non-ionic detergents, Stabilizers and antioxidants.

PROTECTION B-30 is a synergistic blend of Glutaraldehyde , Quaternary Ammonium Compound (QAC) that ensures far superior biocide effectiveness for terminal disinfection.

PRESENTATION:

1 litre, 5 litre & 500 ml.

PRECAUTIONS:

- >> Avoid direct contact with eyes and skin.
- FOR EXTERNAL USE ONLY.



Manufactured & Marketed by:

BENISON FARM VET PVT. LTD.

Regd. Office: 3, Paliwal Nagar, Indore - 452 018 (MP)

Email: info@benisonfarmvet.in, Website: www.benisonfarmvet.in

Application Area	Method	Dilution / Lit. of Water
FARM (LIVESTOCK/ Poultry)		
Vehicles	Spray including wheels	5 ml
Foot bath	Daily change	5 ml
Empty sheds	Spray with high pressure	5 ml
Livestock in shed	Spray in air towards ceiling	2 ml
Feeders & Drinkers	Mop daily after cleaning	7 ml
Feed room/stores	Spray	7 ml
White wash		1% Mix with the slurry of lime & apply to the poultry house.
Water sanitation	Add to drinking water	1-2 ml/ 10 lit. of water.

HATCHERY

Foot bath	Daily change	7 ml
All rooms of Hatchery	Spray & Mop	5 ml
Incubator/Hatcher	Spray & Mop	5 ml
Incubator tank	Add into the tank each time	5 ml
Hatching eggs	Spray using atomizer	5 ml
Soiled hatching eggs	Spray using atomizer	5 ml
Gunny cloth new	Dip, dry & use	5 ml
Setter trays	Dip after washing	5 ml
Hatchery trays	Dip after washing	5 ml
Wood wool	Spray after sun drying	5 ml
Waste drum	Spray after every use	5 ml

- In case of high organic burden or imminent disease threat consult your veterinarian for usage modifications.
- Sanitizes drinking water.
- Exerts rapid an long lasting action.
- Reduces pathogen load in bird.

Calcitone-B

Soluble Calcium & Phosphorus with Vit. B₁₂ & D₃

कॅल्सीटोन-बी

COMPOSITION:

 $\begin{array}{ccc} \text{Each ml. has nutritious value of} \\ \text{Calcium} & 20 \text{ mg.} \\ \text{Phosphorus} & 10 \text{ mg.} \\ \text{Vitamin D}_3 & 80 \text{ I.U.} \\ \text{Vitamin B}_{12} & 1 \text{ mcg.} \\ \text{Aqueous base} & Q.S. \\ \end{array}$

Permitted Colour & Flavour Added Appropriate overages added to compensate loss on storage





Manufactured & Marketed by: BENISON FARM VET PVT. LTD. Regd. Office: 3, Paliwal Nagar, Indore - 452 018(MP) Email: info@benisonfarmvet.in Website: www.benisonfarmvet.in

POULTRY FEED SUPPLEMENT
NOT FOR MEDICINAL USE
PROTECT FROM DIRECT SUNLIGHT.



BENISON-A-FORTE

WATER MISCIBLE VITAMIN A FOR POULTRY.



DOSAGE: For 100 birds:

Chicks 5 ml.
Growers 7 ml.
Layers 7 ml.
Broilers 5-7 ml.

INDICATIONS:

- For supportive treatment in infections like C.R.D. Coryza, Coccidiosis etc.
- Building resistance against infections.
- Enhancing egg production.
- For better hatchability & fertility.

POULTRY FEED SUPPLEMENT NOT FOR MEDICINAL USE



Manufactured by: BENISON FARM VET PVT. LTD.

Regd. Office: 3, Paliwal Nagar, Indore - 452 018 (MP) Email: info@benisonfarmvet.in Website:www.benisonfarmvet.in

BENISON ERYTHROMYCIN-DS

Water Soluble Erythromycin Powder 10%

COMPOSITION:







DOSAGE:

Preventive :

1 gram/ 2 litre of water for 3-5 days. Fresh solution should be made each day.

Curative:

2 grams/ litre of water for 3-4 days or as directed by the veterinarian.

POULTRY FEED SUPPLEMENT NOT FOR MEDICINAL USE PROTECT FROM DIRECT SUNLIGHT.

INDICATION:

Effective against respiratory problem and all types of stress conditions.



REVEL

Manufactured & Marketed by: Benison Farm Vet Pvt. Ltd

Regd. Office: 3, Paliwal Nagar,Indore - 452 018 (MP)

Email: info@benisonfarmvet.in, Website: www.benisonfarmvet.in

B-PROMIN

LIQUID FEED SUPPLEMENT

A Unique Combination of Aminoacids, Protected Minerals & Vitamins

Mathianina Activity (Mathianina	127.6 am
Methionine Activity (Methionine	127.6 gm
Hydroxy Analogue free acid)	
Choline Chloride	63.125 gm
_ysine Hydrochloride	63.125 gm
Sodium	459.00 mg
Phosphorus	154.16 mg
Magnesium	595.4 mg
Zinc	215.7 mg
errous (Iron)	223.4 mg
Copper	158.8 mg
Cobalt	206.25 mg
Manganese	384.55 mg
36	100 mg
312	500 mcg
Folic Acid	33 mg

Lysine	7.3 %
Methionine	3.5 %
Arginine	4.3%
Histidine	3.1 %
Tyrosine	2.8 %
Cystine	0.4 %
Tryptophan	1.4 %
Phenylalanine	5.5 %
Threonine	3.9 %
Leucine	9.1 %
Isoleucine	8.1 %
Valine	7.1 %
Glycine	2.8 %



PRECAUTIONS:

- >> Shake well before use
- >> Store in a cool, dark place, away from sunlight.

USAGES:

For 100 birds daily for 5 days to be repeated after every 10 days

Chicks / Growers	5-10 ml.
Layers	10-20 ml.
Broilers	5-10 ml.
Breeders	15-30 ml.
Small Animals/ Rabbits/Dogs	5-10 ml.
Calves/ Sheeps/ Goat/ Pigs	30 ml. Daily
Large Animals/ Horses/ Cows/ Buffaloes or as recommended by the specialist	50 ml. daily

NDICATIONS

Increases egg production in layer / Breeders.
Improves FCR in broilers

Acts as immuno-stimulant.

Reduces misshapen eggs during early lay and

peak laying periods.
Enhances recovery after an outbreak of disease
Supplements mineral and vitamin deficiency.

Poultry Feed Supplement Not For Medicinal Use.



Manufactured by: **BENISON FARM VET PVT. LTD.**Regd. Office: 3, Paliwal Nagar, Indore - 452 018 (MP) **Email:** info@benisonfarmvet.in **Website:**www.benisonfarmvet.in



COMPOSITION:

Amprolium Hydrochloride -20% W/W Vitamin K₃ -0.2% (As Sodium Menadione Bisulphite in water soluble base)

DOSAGE (Poultry):

30 grams / 25-20 litres of drinking water for 3-5 days or as directed by Veterinarian.

INDICATIONS:

For control of Coccidiosis and Parasitic infestations. For prevention of blood loss.

POULTRY FEED SUPPLEMENT
NOT FOR MEDICINAL USE
PROTECT FROM DIRECT SUNLIGHT & HEAT.




Manufactured by:

BENISON FARM VET PVT. LTD.

Regd. Office: 3, Paliwal Nagar, Indore - 452 018 (MP)

Email: info@benisonfarmvet.in Website:www.benisonfarmvet.in





Manufactured by:

BENISON FARM VET PVT. LTD.

Regd. Office: 3, Paliwal Nagar, Indore - 452 018 (MP)

Email: info@benisonfarmvet.in
Website: www.benisonfarmvet.in

Composition:

Amprolium HCI	20%
Sulphaquinoxaline	20%
Ethopabate	1%
Phyrimethamine	1%
Vitamin K ₃	1%

Dosage:


30g / 50 Litres of drinking water for seven days or as directed by the Veterinarian.

Indications:

For the control of Coccidiosis

POULTRY FEED SUPPLEMENT





Contents:

Nephromodulators ,Sodium Fluoride, Butyric Acid with Amino Nitrogen in a fortified base

Usage Instructions:

1ml./ Litre of water or as recommended by the Veterinarian.

ISAS.

 To improve and stimulate renal functioning. In the management of
 gout HPS Ascities

Keep tightly closed in a cool place protected from light.

POULTRY FEED SUPPLEMENT NOT FOR MEDICINAL USE PROTECT FROM DIRECT SUNLIGHT.



Manufactured & Marketed by: **Benison Farm Vet Pvt. Ltd** Regd. Off: 3, Paliwal Nagar, Indore - 452018 (MP)

Email: info@benisonfarmvet.in **Website:** www.benisonfarmvet.in



Revolutionary Break through in Heat Stress Control

BENICOOL

COMPOSITION: Each Kg. contains:

Glucose	759 gms.
Sodium Chloride	74 gms.
Sodium Citrate	103 gms.
Potassium Chloride	52 gms.
Vitamin C	

DOSAGE: 10 gms/ 100 chicks 25 gms./ 100 birds to be dissolved in water Double the dose in acute conditions 250 gms. of powder to be added in 50 Liters of water. Dose may be doubled in severe stress

INDICATIONS: * Heat Stress

- *Dietary Stress *Disease Stress
- *Social Stress *Mechanical Stress
- *Managemental Stress



Manufactured by:
BENISON FARM VET PVT. LTD.


Regd. Office: 3, Paliwal Nagar,

Indore - 452 018 (MP)

Email: info@benisonfarmvet.in
Website: www.benisonfarmvet.in

Poultry Feed Supplement

Not for medicinal use Protect from direct sunlight.







B-OXYCARE 20%

OXYTETRACYCLINE HCL WATER SOLUBLE POWDER

Composition

Each gm contains

Oxytetracycline(HCl form)......200mg

Vitamin B1......10mg

Dextrose.....Q.S

Withdrawl Period

Meat: 7days Egg: Nil

Indications

Preventive & curative treatment of respiratory & digestive system diseases caused by or associated with organisms sensitive to Oxytetracycline.

Dosages

1 gm of B-OXYCARE to be added in 2-4 litres of drinking water.

Presentation: 250 GMS

Keep it in dry place.

Poultry Feed Supplement Not for Medicinal Use



Manufactured by:

Benison Farm Vet Pvt Ltd

Regd. Office:3, Paliwal Nagar, Indore-452001

Email: info@benisonfarmvet.in Website:www.benisonfarmvet.in



B-TETRACARE 5%

OXYTETRACYCLINE HCI FEED GRADE POWDER

Indications

Preventive & curative treatment of respiratory & digestive system diseases caused by or associated with organisms sensitive to oxytetracycline.

Dosages

Chicks, Layers, Growers, Broilers:

500gm to 1kg of B-TETRACARE to be added in a ton of feed

Composition

Oxytetracycline

(Hydrochloride form) 5% W/W

Withdrawal Period

Meat : 7 days Egg : Nil POULTRY FEED SUPPLEMENT NOT FOR MEDICINAL USE.

> Net Contents 1 Kg







Benison Farm Vet Pvt. Ltd.

Regd. Office: 3, Paliwal Nagar, Indore-452001 Email: info@benisonfarmvet.in Website: www.benisonfarmvet.in

BENICHLORE-C.T.C. 15%

GRANULATED PREMIX

Composition

Each kg contains CHLORETETRACYCLINE HCL150gms



Indications

Chlortetracycline is a broad spectrum antibiotic effective against both gram +ve and -ve pathogenic bacteria including mycoplasma chlamydia rickettsia Conza Salmonellosis It is active in control

mycoplasma, chlamydia, rickettsia, Coryza, Salmonellosis. It is active in control and treatment of chicken dysentry, typhoid and pigs enteritis caused by bacteria and paratyohoidcholera in poultry and live stocks.

Benefits

- Granulation ensures that the medicine is evenly distributed throughout the premix & finally in the feed.
- Granulation increases the stability of feed at normal room temperature, both in mash and pellets.
- Free flowing characteristics make it homogeneous and prevents dusting and caking problem,
- Fast absorption and quick results and longer stay at the site of infection.
- · Improves growth & increases profits.
- Growth promotion, prevention of stress, improvement in performance-Egg production & weight gain and general health improvement.

Dosages: Regular feed 335 gms/Ton of feed

Presentation: 25 KG Drum packing Keep it in cool and dark place.

Poultry Feed Supplement Not for Medicinal Use



Manufactured by:

Benison Farm Vet Pvt-Ltd Begd. Office:3,Pallwal Nagar,Indore-452001 Email: info@benisonfarmvet.In

Website:www.benisonfarmvet.in



BOOSTER VITAMIN BLEND PREMIX

Benefits

Improves body FCR, EGG production, performance. Prevents destabilization and deficiency of vitamins. Manage and equilibrate the vitamins level during metabolic stress. Better bioavailability and long shelf life with proved stability. Boost immunity. Enhance metabolic activities.

Types of Vitamins

Fat Soluble VitaminsAD3EK
Water Soluble Vitamin-B.........B1B2B3B4B5B6B7B8B9

Composition (Nutritional value of Each 1 kg contains)

Vitamin A29000000 IU	Folic Acid B9	2000 MG
Vitamin D38000000 IU	Cad-Pantothenate	e B516000 MG
Vitamin E20000 MG	Vitamin C	5000 MG
Vitamin K312000 MG	CHOLINE CI2	150000 MG
Vitamin B12000 MG	AntiOxidant	2000 MG
Vitamin B220000 MG		200 MG
Vitamin B64000 MG	Suitable Carrier	QS
Vitamin B325000 MG	Duituble Currer	
Vitamin B760 MG		
Vitamin B1240 MG	3000	

Dosages:

Layer- 500 gm/ Ton of Feed | Broiler- 750 gm/Ton of Feed | Breeder- 1500gm/Ton of feed

Presentation: 25 KG Drum packing Store at below 25°C

No withdrawal & Contra-indications



Manufactured by:

Benison Farm Vet Pvt Ltd

Regd. Office:3,Paliwal Nagar,Indore-452001

Email: info@benisonfarmvet.in Website:www.benisonfarmvet.in



Poultry Feed Supplement

Not for Medicinal Use

Composition:

Each 25 ml, contains aqueous extracts derived from

Ederi Ed ittil deritanio adagada attanaia aditi	
Kutaki (Picrorhiza kurroa)	12.5 mg.
Bhumyamalaki (Phyllanthus)	375 mg.
Rohitak (Tecomella undulate)	375 mg.
Punamava (Boerhaavia diffusa)	375 mg.
Triphala	750 mg.
Chitraka (Plumbago Zeylanica)	125 mg.
Shatavari (Asparagus Racemosus)	187.5 mg.
Ashwagandha (Withania Somnifera)	187.5 mg.
Pippali (Piper Longum)	125 mg.
Shunthi (Zingiber Officinale)	125 mg.
Maricha (Piper Nigrum)	125 mg.
Vacha (Acorus Calamus)	125 mg.
Yashthimadhu (Glycyrrhize Glabra)	750 mg.
Sarapunkha (Tephrosia purpura)	750 mg.
Sariva (Hemidesmus indicus)	437.5 mg.
Bhringraj (Eclipta Alba)	375 mg.

POULTRY: For 7-10 days

Chicks and Broilers Starters: 10 ml. / 100 birds

Growers, Layers & Broiler finishers: 20 ml. / 100 birds

Breeders: 30 ml. / 100 birds.

as advised by a veterinarian.



图室门口

Liver Stimulant & Digestant



Benefits:

- 1. Increases Secretion of digestive juices from liver, pancreas and helps better digestion.
- 2. Prevents and controls anorexia and indigestion.
- 3. Corrects all kinds of liver disorders resulting from antibiotics, dewormers, toxins etc.
- Helps better utilisation of feed.
- Enhances strength and energy of animals.

Indications:

Anorexia, jaundice, hepatitis, aflatoxicosis, debility and weakness during antibiotic / anti microbial theraphy.

PRESENTATION:

500 ml. 1 Litre 5 Litre

Keep in a cool dry place.

Not for Human Use.


Manufactured by: Manufactured by:



Regd. Office: 3, Paliwal Nagar,

Indore-452 018 (M.P.)

Email: info@benisonfarmvet.in Website: www.benisonfarmvet.in_



Fresh Solution should be made each day Curative:

20 Grams/Litre of wate for 3-5 days or as directed by Veterinarian

POULTRY FEED SUPPLEMENT NOT FOR MEDICINAL USE ROTECT FROM DIRECT SUNLIGHT



WATER SOLUBLE TRIPLE ACTION NOVEL ANTIBIOTIC FOR PREVENTION & TREATMENT OF INFECTIONS CAUSED BY GRAM POSITIVE AND GRAM NEGATIVE ORGANISMS.

INDORE - 452001

E-mail: info@benisonfarmvet.in

Website: www.benisonfarmvet in

